LK/S 4.2 1/3



PRODUCT-DETAILS

LK/S 4.2

LK/S4.2 Line Coupler, MDRC



| General Information | |
|-----------------------|--|
| Extended Product Type | LK/S 4.2 |
| Product ID | 2CDG110171R0011 |
| EAN | 4016779881678 |
| Catalog Description | LK/S4.2 Line Coupler, MDRC |
| Long Description | The ABB i-bus® KNX Line Coupler LK/S 4.2 is a modular installation device with a module width of 2 space units. It is used as a line or area coupler or as a repeater. As a line coupler, the LK/S connects a line with a main line, as an area coupler it connects a main line with an area line. It provides electrical isolation in this way. In connection with ETS4, the main groups 1431 can be filtered. The device supports long frames (from > ETS5) and KNX Data Secure communication. KNX Data Secure telegrams are processed, filtered, forwarded, or blocked depending on settings. |

| nstallation | |
|-----------------------------|-----------------|
| Instructions and Manuals | 2CDG941098P0002 |
| Wiring Diagram | 9AKK108464A0300 |
| Mounting Type | DIN-Rail |

LK/S 4.2 2/3

| Environmental | |
|--|-----------------------------------|
| Degree of Protection | IP20 |
| | |
| Technical | |
| Data Sheet, Technical Information | 2CDC502068D020 |
| Compatible Bus Systems | KNX (TP |
| Product Range | KNX |
| Manual Operation | No |
| Number of Batteries | |
| | |
| Power Loss | 0.3 V |
| | |
| Design | |
| Color | light gre |
| | |
| Dimensions | |
| Width in Number of Modular Spacings | 2.0 |
| Product Net Width | 36 mm |
| Product Net Height | 90 mm |
| Product Net Depth / Length | 64.5 mm |
| Product Net Weight Dimension Diagram | 0.09 kg 2CDC072025F001 |
| | |
| EPLAN Data | 9AAC189148 EPLAN |
| | |
| Ordering | |
| Replacement Product ID (NEW) | 2CDG1110171R001: |
| E-Number (Finland) | 281514 |
| E-Number (Norway) | 4544160 |
| E-Number (Sweden) | 1750010 |
| E-Number (Switzerland) | 405820509 |
| | |
| RoHS Declaration | 2CDK502074D270: |
| RoHS Information | Following EU Directive 2011/65/EU |
| DEACH Dealersties | 0.41/1/107.402.410.0/ |

REACH Declaration

9AKK107492A1906

| REACH Information | False - does not contain substances > 0.1 mass percentage |
|---|--|
| REACH Date | 20240123 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

| Certificates and Declarations | |
|---|-----------------|
| Cyber Security Software Support Period | 2 year |
| Declaration of Conformity - CE | 2CDK502074D2701 |
| KNX Certificate | 9AKK105710A0065 |
| EU Data Act Applicability and Compliance | Not Applicable |

| External Classifications and Standards | | |
|--|---|--|
| ETIM 9 | EC000673 - Area/line coupler for bus system | |
| ETIM 10 | EC000673 - Area/line coupler for bus system | |
| eClass | V11.0 : 27143129 | |
| UNSPSC | 39122221 | |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory | |
| Object Classification Code | А | |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow System\ Infrastructure\ and\ Interfacing \rightarrow Line\ Couplers$







3/3